
robot g coupe

NEW



BLIXER®
Blixer® 8 • Blixer® 10 • Blixer® 15 • Blixer® 20



HOSPITALS - NURSING HOMES - CRÈCHES - RESTAURANTS





Blixer® 8 - Blixer® 10 - Blixer® 15 - Blixer® 20

ERGONOMIC

- See-through lid to monitor processing from start to finish. Dishwasher-safe.
- Possibility of adding liquid or solid ingredients while Blixer is running.
- Central bowl locking system for easy assembly. • Quick and easy lid attachment and removal.

- **HYGIENE**
- All the parts can easily be removed, making the machine simpler to clean.
- Flat, easy-clean motor base.

robot a coupe Blixer 15



- New bowl handle design for an even
- Handle at the back of the machine easier to move machine around.
- Lid fitted with a seal so that it is **totally** leakproof.



- assembly featuring new patented micro-serrated blade profile (exclusive to Robotultra-fine, homogeneous consistency and ensures optimum cutting quality every time.



 Extremely powerful induction motor designed to withstand intensive use, thus ensuring a high level of reliability and a longer lifespan.

COMFORT

- better grip.

Supplied with:




Blade assembly fitted with fine-serrated blades for producing raw or cooked modified texture menus and ultra-fine, homogeneous preparations.

robot a coupe







BLIXER®: A unique concept



The Products Plus:

2 functions in 1!

• The Blixers® combine the features of two well known appliances: the cutter and the blender/mixer. Our Blixers® can be used to produce modified texture meals (starters, main dishes, desserts) for the healthcare sector.

Efficient:

• With their large capacity and leak proof lid, with built in scraper, these models make it simple to prepare all types of mixed and liquidized food.

 A safety device fitted to the lid prevents access to moving blades and an integral motor braking device ensures operator

Perfect hygiene:

 Any parts which come into contact with food can be easily removed and cleaned, in compliance with the strictest hygiene standards.



Number of covers:

25 to 400



Users:

Hospitals, Nursing Homes, Crèches, Restaurants, Pharmaceutical, Agrifood Business, etc.



In brief:

Blixers® are quick, efficient, simple to use and robust. Add to this a guarantee of a perfectly finished-end product that contains all the goodness and flavour of the pre-liquidized





Healthcare - Pureed food

All preparations for every type of diet. Starters, Main dishes, Desserts, both cooked and raw

Since 1991, Robot-Coupe has worked in close partnership with healthcare and catering specialists in improving the Blixer® concept for patients who suffer dysphaygia or problems with mastication and swallowing. With a Blixer, preparing healthy, well-balanced and tasty food is simplicity itself, due to its ability to blend raw ingredients













Blades

• Always a cut above the rest, Robot-Coupe has developed a new, patented blade profile ensuring maximum cutting quality every time. These blades are perfectly balanced, to avoid all problems of vibrations.

Delivered with:

- Fine serrated 2-bladed
 Fine serrated 3-bladed stainless steel blade assembly for Blixer 8
- stainless steel blade assembly for Blixer 10/15/20





- Fine serrated blades will chop ingredients to an ultrafine, homogeneous consistency.
- To achieve optimum quality, it is important to adjust the spacing of the blades and avoid exceeding maximum processing quantities.



Induction motor

- Asynchronous industrial motor for heavy duty use guarantees durability and reliability.
- Motor built on ball bearings for a silent process, without any vibration.
- Direct drive motor:
 - Extra powerful
 - No drive belt
 - No maintenance
 - No brushes.
 - Stainless steel motor shaft.





Find the Blixer® you need 300 gr 400 gr What amounts Special 500 gr 600 gr Single do you need to to to 3.5 kg 4.5 kg 3 kg to process? **Portion** 2 kg Do you have a No No No Yes No No Yes Yes Non 3-phase power supply? This is the Blixer® for you! **Blixer** Blixer 2 Blixer 3 Blixer 4 **Blixer Blixer Blixer** Blixer 6 **Blixer** 4-3000 4 V.V. 5 Plus 5 V.V. 6 V.V. 1 kg 2 kg 3 kg 3 kg 4 kg 4 kg 6 kg 6 kg What amounts do you need to to to to to 5 kg 13 kg 15 kg 20 kg 30 kg to process? 6.5 kg 10 kg 45 kg Do you have a Yes Yes Yes Yes Yes Yes No Yes No Yes Yes Yes 3-phase power supply? This is the

CE	Characteristics						Weight (kg	
Mark	Speed (Rpm)	Power (Watts)	Voltage* (Amp) 50 Hz	Stainless-steel bowl capacity	Liquid capacity	Net	Gross	
Blixer® 8	1 500 and 3 000	2 200	400V~3 / 5.5	8 litre	4.4 litre	40 kg	52 kg	
Blixer® 8 V.V.	300 to 3 500	2 200	230V~1 / 21	8 litre	4.4 litre	40 kg	52 kg	
Blixer® 10	1 500 and 3 000	2 600	400V~3 / 6	11.5 litre	5.3 litre	45 kg	57 kg	
Blixer® 10 V.V.	300 to 3 500	2 600	230V~1 / 21	11.5 litre	5.3 litre	45 kg	57 kg	
Blixer® 15	1 500 and 3 000	3 000	400V~3 / 6.5	15 litre	7.2 litre	49 kg	62 kg	
Blixer® 15 V.V.	300 to 3 500	3 000	400V~3 / 11.6	15 litre	7.2 litre	49 kg	62 kg	
Blixer® 20	1 500 and 3 000	4 400	400V~3 / 10.1	20 litre	7.8 litre	75 kg	88 kg	
Blixer® 20 V.V.	300 to 3 500	4 400	400V~3 / 13.6	20 litre	7.8 litre	75 kg	88 kg	

Blixer 20

Blixer 20 V.V.

Blixer 23

Blixer 30

Blixer 45


Blixer 60

Blixer 15

Blixer® for you!

	Dimensions (mm)							
	Α	В	С	D	Е	F	G	
Blixer® 8 - Blixer® 8 V.V.	595	445	255	280	315	525	545	
Blixer® 10 - Blixer® 10 V.V.	670	520	280	280	345	600	560	
Blixer® 15 - Blixer® 15 V.V.	690	540	300	320	370	620	615	
Blixer® 20 - Blixer® 20 V.V.	770	620	315	320	380	700	630	

Blixer 8 V.V. Blixer 10 Blixer 10 V.V.





Head Office, French, Export and Marketing Department: Tel.: + 33 1 43 98 88 33 - Fax: + 33 1 43 74 36 26 email: international@robot-coupe.com

Robot-Coupe Australia: T (02) 9478 0300 - F (02) 9460 7972 email: orders@robot-coupe.com.au

Robot-Coupe U.K. LTD: Tel.: 020 8232 1800 - Fax: 020 8568 4966 2, Fleming Way, Isleworth, Middlesex TW7 6EU email: sales@robotcoupe.co.uk

Robot-Coupe U.S.A.: Ph.: 1-800-824-1646 - Fax : 601-898-9134 email: info@robotcoupeusa.com

www.robot-coupe.com

DISTRIBUTOR

STANDARDS:

Machines in compliance with:

- The following European directives and related national legislation: 2006/42/EC, 2006/95/EEC, 2004/108/EC, 89/109/ EEC, 2002/72/EEC, «RoHS» 2002/95/EC, «WEEE» 2002/96/EC.
- following European harmonized standards and standards setting out health and safety rules: EN 12100 1 and 2 -2003, EN 60204 -1 (2006), EN 1678 - (1998), EN 12852.



^{*} Other voltages available.