

CODICE **CR1012949**

MODELLO
Q70PCF/VCE800

SERIE

QUEEN 7

GENERAL CHARACTERISTICS

For those who do not want to give up the quality and solidity of a Queen stove, the Series 7 offers a 700 mm depth and more compact dimensions to fit any room, burners available in various configurations and wattages, enhanced by the refined Scotch Brite finish.

Thanks to its extreme compositional freedom, every composition is possible: you can combine Model i tops with accessorizable oven and neutral bases and hygienic finishes; create customized solutions by matching and attaching equipment back to back, sideways "flush" perfectly sealed, or "bridge" structures, offering high-level solutions that always perfectly meet the chef's needs. As a total guarantee, all equipment

that make up a Queen7 kitchen are certified in compliance with international standards, including CE, GAR, AGA and others.



Project

Location:

TECHNICAL SPECIFICATIONS

Unbreakable watertight glass-ceramic top. Cooking zones marked with circular silk-screen printing 23 cm in diameter.

2.5 kW single zone power.

Heating activation light and residual heat indicator light. Electric oven

Stainless steel cooking chamber (57.2x58x30 cm), thermally insulated and equipped with 3 anti-tip guides for Gastronorm 1/1 containers.

Stainless steel door and counter door, perfectly insulated and mounted on self-balancing hinges.

Ergonomic full-length, thermally insulated handle.

Firing surface temperature 70° to 450° C

Thanks to the jet-proofing certification obtained through specific tests, knobs and under-knobs can be washed at the end of the working day without compromising functionality and safety.

The front bar is a comfortable foothold for the cook; it keeps a safe distance from the worktop and thus protects against accidental collisions with what is resting on the worktops and at the same time the handles.

Project	
Rev.:	
Zone:	
Locations	



CODICE **CR1012949**

MODELLO
Q70PCF/VCE800

SERIE

QUEEN 7

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1012949
DEFINITION	Q70PCF/VCE800 VETROCERAMICA ELE.M80 C/FE
COMMERCIAL LINE	QUEEN
SUPPLY	ELECTRICS
DIM, WIDTH	800 mm
DIM. PRODUCTIVITY	700 mm
DIM. HEIGHT	870 mm
NETWEIGHT	98 Kg
VOLUME (net)	0.487
PACKAGE LENGTH	850 mm
PACKAGE WIDTH	850 mm
PACKAGING HEIGHT	1150 mm
PACKAGE VOLUME	0,831 m3
GROSS PACKING WEIGHT	112.2 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	16 kW
N. FIRES/PLATES	QUATTRO FUOCHI
IP GRADE	IPX4
CERTIFIED MODEL	Q70PCF/VCE800

Project
Rev.:
Zone:
Location:



CODICE **CR1012949**

MODELLO
Q70PCF/VCE800

SERIE QUEEN 7



CODICE **CR1012949**

MODELLO
Q70PCF/VCE800

SERIE
QUEEN 7

PRODUCT'S RANGE PLUS



Unbreakable flush-top glass for easy handling of cookware.



A temperature regulator sets the temperature and this permits to select two sizes of the heating zone according to the size of the pot bottom.



Firing surface temperature 70° to 450° C