

CODICE **CR1657089**

MODELLO Q70SGL/G803 SERIE
QUEEN 7

GENERAL CHARACTERISTICS

For those who do not want to give up the quality and solidity of a Queen stove, the Series 7 offers a 700 mm depth and more compact dimensions to fit any room, burners available in various configurations and wattages, enhanced by the refined Scotch Brite finish.

Thanks to its extreme compositional freedom, every composition is possible: you can combine Model i tops with accessorizable oven and neutral bases and hygienic finishes; create customized solutions by matching and attaching equipment back to back, sideways "flush" perfectly sealed, or "bridge" structures, offering high-level solutions that always perfectly meet the chef's needs. As a total guarantee, all equipment

that make up a Queen7 kitchen are certified in compliance with international standards, including CE, GAR, AGA and others.



TECHNICAL SPECIFICATIONS

Stainless steel outer shells and feet.
Height of the work surface adjustable from 840 to 900 mm.
Tops with a thickness of 2 mm.
Aisi 304 steel burner controlled by
safety valve and thermocouple.
Piezo ignition.

Adjustable temperature up to 350°C. Device for adjusting the height of the grids on two levels.

Perimeter splash guard risers (h max=12mm).

Canal with drainage hole and removable grease and residue collection. Internal drawer for collecting residual carbonaceous.

Larger, recessed grease trough on the worktop, easier to clean and more capacious

HUMIDIFIER accessory for optimal management of several types of cooking.

Grill height adjustment for handling different types of cooking

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories

In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

| Project |
|-----------|
| Rev.: |
| Zone: |
| Locations |



CODICE **CR1657089**

MODELLO Q70SGL/G803 SERIE

QUEEN 7

Technical Information

| SPECIFICATION | DATA |
|--------------------------|---|
| MATERIAL | CR1657089 |
| DEFINITION | Q70SGL/G803 PIETRALAV.GAS GHISA M80 TOP |
| COMMERCIAL LINE | QUEEN |
| SUPPLY | GAS |
| DIM. WIDTH | 800 mm |
| DIM. PRODUCTIVITY | 700 mm |
| DIM. HEIGHT | 250 mm |
| NETWEIGHT | 1 Kg |
| VOLUME (net) | 0.14 |
| PACKAGE LENGTH | 840 mm |
| PACKAGE WIDTH | 850 mm |
| PACKAGING HEIGHT | 550 mm |
| PACKAGE VOLUME | 0,396 m3 |
| GROSS PACKING WEIGHT | 2 Kg |
| GAS POWER | 20 |
| GAS POWER (G25.3/25mbar) | 19,00 |
| CERTIFIED MODEL | Q70SGL/G8 |




CODICE **CR1657089**

MODELLO
Q70SGL/G803

SERIE
QUEEN 7

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm




| | Legenda - Legende - Key - Lége | ende | - Leyenda - Legenda |
|----|--|------|---|
| E | Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico | G | Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás |
| s | Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água | H20 | eau - Union de agua - Wateraansluiting - Junção |
| S1 | Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba | | alimentação água = Calda - Heiss - Warm - Chaude - Caliente - Warm - Mor = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio |
| S2 | Soupape de dépression - Válvula de dépresión - Onderdrukklep - Válvula de depressão | | |
| S3 | | | |
| | | | Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível |
| S4 | Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno | | |

Project Rev.: Zone: Location:



CODICE CR1657089 MODELLO Q70SGL/G803 SERIE **QUEEN 7**

PRODUCT'S RANGE PLUS



HUMIDIFIER accessory for optimal management of several types of cooking.




Smoker that can be installed on the M80 - M120 models for a barbecue-







4 Types Grills available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version






Cast iron cooking grill for meat and



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



Steel cooking grill in meat and fish versions.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Project Rev.: Zone: Location:



CODICE CR1657089 MODELLO Q70SGL/G803 SERIE **QUEEN 7**

PRODUCT'S RANGE PLUS



Grill height adjustment for handling different types of cooking



Electric version with fold-down heating elements to facilitate the cleaning process.

| Project | |
|-----------|--|
| Rev.: | |
| Zone: | |
| Location: | |



CODICE **CR1657089**

MODELLO Q70SGL/G803 SERIE

QUEEN 7

ACCESSORIES

| CODE | MODELLO | DESCRIZIONE |
|-----------|---------|--------------------------------------|
| CR1658329 | Q7KU8G | QUEEN 7 M80 GAS GRILL HUMIDIFIER KIT |
| CR1658129 | Q7CAA | M40 STEEL FLAME ARRESTERS |
| CR1658139 | Q7CAG | CAST IRON FLAME ARRESTORS M40 |
| CR1658149 | Q7KP4 | M40 STONEWARE KIT |
| CR1353909 | DCPL6 | Lava stone package 4 kg |
| CR1658159 | Q7AF | Q70 SUPER GRILL SMOKER KIT |
| CR1658179 | Q72GG | Cast Iron Grid M40 Q7 |
| CR1658189 | Q72GTI | M40 Q7 Stainless Rod Grate |
| CR1658389 | Q72GI | Stainless Grid M40 Q7 |